

在庫管理品 ●  
取次ぎ品 ○

# ゲ ー ジ 鋼

(板) 定尺2m

| 鋼種<br>寸法 | SK材の<br>切断可否 | SK      |         | SKS3 |     | SKD11 |     | SKH51 |         |
|----------|--------------|---------|---------|------|-----|-------|-----|-------|---------|
|          |              | 205~210 | 305~310 | 205  | 305 | 205   | 305 | 305   | 600     |
| 0.8      | S・残          | ○       | ○       |      |     |       |     |       | ○       |
| 0.9      | S・残          |         |         |      |     |       |     |       | ○       |
| 1.0      | S・残          | ○       | ○       |      |     |       |     |       | ○       |
| 1.2      | S・残          | ○       | ○       |      |     |       |     |       |         |
| 1.3      | S・残          |         |         |      |     |       |     |       | ○       |
| 1.4      | S・残          | ○       | ○       |      |     |       |     |       |         |
| 1.5      | S・残          | ○       | ○       |      |     |       |     |       |         |
| 1.6      | S・残          | ○       | ○       |      |     |       |     |       | ○       |
| 1.8      | S・残          | ○       | ○       |      |     |       |     |       | ○       |
| 2.0      | 可            | ●       | ●       | ○    | ○   | ○     |     | ○     | ○       |
| 2.2      | 可            |         |         |      |     |       |     |       |         |
| 2.3      | 可            | ●       | ○       |      | ○   |       |     |       | ○       |
| 2.5      | 可            | ●       | ●       |      |     |       |     |       |         |
| 2.8      | 可            | ●       |         |      |     |       |     |       | ○       |
| 3.0      | 可            | ●       | ●       | ○    | ○   | ○     |     | ○     |         |
| 3.2      | 可            | ●       | ●       |      | ○   |       |     |       |         |
| 3.3      | 可            |         |         |      |     |       |     |       | ○       |
| 3.5      | 可            | ●       | ●       |      |     |       |     |       |         |
| 4.0      | 可            | ●       | ●       | ○    | ○   | ○     | ○   | ○     | ○       |
| 4.3      | 可            |         |         |      |     |       |     |       | ○       |
| 4.5      | 可            | ●       | ●       |      |     |       |     |       | ○       |
| 5.0      | 可            | ●       | ●       | ○    | ○   | ○     | ○   | ○     | ○       |
| 5.5      | 可            | ●       | ●       |      |     |       |     |       | ○       |
| 6.0      | 可            | ●       | ●       | ○    | ○   | ○     | ○   | ○     | ○       |
| 6.5      | 可            | ●       | ○       |      |     |       |     |       |         |
| 7.0      | 可            | ●       | ●       | ○    | ○   | ○     |     |       | ○(420巾) |
| 8.0      | 可            | ●       | ●       | ○    | ○   | ○     | ○   |       |         |
| 9.0      | 可            | ●       | ●       | ○    | ○   | ○     |     |       |         |
| 10.0     | 可            | ●       | ●       | ○    | ○   | ○     |     |       |         |
| 12.0     | 可            | ●       | ●       | ○    | ○   |       |     |       |         |
| 13.0     | 可            | ●       |         |      |     |       |     |       |         |

在庫品でも欠品の場合がございます。その折は何卒御容赦願います。  
 切断は、SK材のみ(一部SKH51は可)です。それ以外は定尺販売(切断残共可)です。  
 S・残はシャーリング切断残共となります。(2mm厚以上はバンドソー切断)

# ゲージ鋼 MA・MC板

## ●SK5 MA(焼鈍仕上げ)

冷間圧延後、焼鈍を施し、所定の幅・長さ加工をした材料

単位mm

| 寸 法              | 板厚公差   | 幅公差   | 長さ公差   | 硬度(HV) |
|------------------|--------|-------|--------|--------|
| 0.3 × 102 × 1000 | ±0.020 | ±0.20 | -0, +5 | ≤190   |
| 0.4 × 102 × 1000 | ±0.025 | "     | "      | "      |
| 0.5 × 102 × 1000 | "      | "     | "      | "      |
| 0.6 × 102 × 1000 | ±0.030 | "     | "      | "      |
| 0.7 × 102 × 1000 | "      | "     | "      | "      |
| 0.8 × 102 × 1001 | "      | "     | "      | "      |
| 0.9 × 102 × 1001 | ±0.040 | "     | "      | "      |
| 1.0 × 102 × 1002 | "      | "     | "      | "      |
| 1.2 × 102 × 1002 | ±0.050 | ±0.25 | "      | "      |
| 1.4 × 102 × 1003 | "      | "     | "      | "      |
| 1.5 × 102 × 1003 | "      | "     | "      | "      |
| 1.6 × 102 × 1004 | ±0.065 | "     | "      | "      |
| 1.8 × 102 × 1004 | "      | "     | "      | "      |
| 2.0 × 102 × 1005 | "      | "     | "      | "      |

## ●SK5 MC(硬引き仕上げ)

最終冷間圧延を施し、所定の幅・長さ加工をした材料

単位mm

| 寸 法              | 板厚公差   | 幅公差   | 長さ公差   | 硬度(HV)  |
|------------------|--------|-------|--------|---------|
| 0.3 × 102 × 1000 | ±0.020 | ±0.20 | -0, +5 | 220~270 |
| 0.4 × 102 × 1000 | ±0.025 | "     | "      | "       |
| 0.5 × 102 × 1000 | "      | "     | "      | "       |
| 0.6 × 102 × 1000 | ±0.030 | "     | "      | "       |
| 0.7 × 102 × 1000 | "      | "     | "      | "       |
| 0.8 × 102 × 1001 | "      | "     | "      | "       |
| 0.9 × 102 × 1001 | ±0.040 | "     | "      | "       |
| 1.0 × 102 × 1002 | "      | "     | "      | "       |
| 1.2 × 102 × 1002 | ±0.050 | ±0.25 | "      | "       |
| 1.4 × 102 × 1003 | "      | "     | "      | "       |
| 1.5 × 102 × 1003 | "      | "     | "      | "       |
| 1.6 × 102 × 1004 | ±0.065 | "     | "      | "       |
| 2.0 × 102 × 1005 | "      | "     | "      | "       |

これらの商品は全て取り次ぎ商品です。