

工具鋼研磨棒（センタレス）

在庫品● 取次ぎ品○

黒皮品は各鋼種ごとに他のページに記載されて
おります。参照 → P.17～P.20



(丸)

径	材質	SK4F	SKS21	SKD11	DC53	SKD61	プリハードン鋼 NAK80 HRC40
1.0		● 1000	○ 2050			○ 2000	
1.1		● 2000	○ "				
1.2		● "	○ "				
1.3		● "	○ "				
1.4		● "	○ "				
1.5		● 1000	○ "	○ 1000		○ "	
1.6		● 2000	○ "				
1.7		● "	○ "				
1.8		● "	○ "				
1.9		● "	○ "				
2.0		● 1000 2000	○ "	● 2000		○ 1000 2000	
2.1		● 2000	○ "				
2.2		● "	○ "				
2.3		● "	○ "				
2.4		● "	○ "				
2.5		● 1000 2000	○ "	○ "		○ 2000	
2.6		● 2000	○ "				
2.7		● "	○ "				
2.8		● "	○ "				
2.9		● "	○ "				
3.0		● 1000 2000	○ "	● "	○ "	○ "	
3.1		● 2000	○ "				
3.2		● "	○ "				
3.3		● "	○ "				
3.4		● "	○ "				
3.5		● 1000 2000	○ "	○ "		○ "	
3.6		● 2000	○ "				
3.7		● "	○ "				
3.8		● "	○ "				
3.9		● "	○ "				
4.0		● 1000 2000	● "	● "		○ "	○ 2000
4.1		● 2000	○ "				
4.2		● "	○ "				
4.3		● "	○ "				
4.4		● "	○ "				
4.5		● 1000 2000	○ "	○ "		○ "	
4.6		● 2000	○ "				

在庫品でも欠品の場合がございます。その折は何卒御容赦願います。

鉄鋼

ステンレス・チタン

アルミ

伸銅

樹脂

参考資料

工具鋼研磨棒（センタレス）

(丸) 在庫品● 取次ぎ品○

径	材質	SK4F	SKS21	SKD11	DC53	SKD61	プリハードン鋼 NAK80 HRC40
4.7		● 2000	○ 1050				
4.8		● 〃	○ 〃				
4.9		● 〃	○ 〃				
5.0		● 2000	● 2050	● 2000	○ 2000	○ 2000	○ 2000
5.1		○ 2000	○ 2050				
5.2		○ 〃	○ 〃				
5.3		○ 〃	○ 〃				
5.4		○ 〃	○ 〃				
5.5		○ 〃	○ 〃	○ 〃			
5.6		○ 〃	○ 〃				
5.7		○ 〃	○ 〃				
5.8		○ 〃	○ 〃				
5.9		○ 〃	○ 〃				
6.0		● 〃	● 〃	● 〃	○ 〃	○ 〃	○ 〃
6.1		○ 〃	○ 〃				
6.2		○ 〃	○ 〃				
6.3		○ 〃	○ 〃				
6.4		○ 〃	○ 〃				
6.5		○ 〃	○ 〃	○ 〃			
6.6		○ 〃	○ 〃				
6.7		○ 〃	○ 〃				
6.8		○ 〃	○ 〃				
6.9		○ 〃	○ 〃				
7.0		● 〃	● 〃	● 〃	○ 〃	○ 〃	○ 〃
7.1		○ 〃	○ 〃				
7.2		○ 〃	○ 〃				
7.3		○ 〃	○ 〃				
7.4		○ 〃	○ 〃				
7.5		○ 〃	○ 〃	○ 〃			
7.6		○ 〃	○ 〃				
7.7		○ 〃	○ 〃				
7.8		○ 〃	○ 〃				
7.9		○ 〃	○ 〃				
8.0		● 〃	● 〃	● 〃	○ 〃	○ 〃	○ 〃
8.1		○ 〃	○ 〃				
8.2		○ 〃	○ 〃				
8.3		○ 〃	○ 〃				
8.4		○ 〃	○ 〃				
8.5		○ 〃	○ 〃	○ 〃			
8.6		○ 〃	○ 〃				
8.7		○ 〃	○ 〃				
8.8		○ 〃	○ 〃				
8.9		○ 〃	○ 〃				
9.0		● 〃	● 〃	● 〃	○ 〃	○ 〃	○ 〃
9.1		○ 〃					
9.2		○ 〃					
9.3		○ 〃					
9.4		○ 〃					
9.5		○ 〃	○ 〃	○ 〃			
9.6		○ 〃					

在庫品でも欠品の場合がございます。その折は何卒御容赦願います。

(丸)

径 \ 材質	SK4F	SKS21	SKD11	DC53	SKD61	プリハードン鋼 NAK80 HRC40
9.7	○ 2000					
9.8	○ "					
9.9	○ "					
10.0	● "	● 2050	● 2000	○ 2000	○ 2000	○ 2000
10.1	○ "					
10.2	○ "	○ "				
10.3	○ "					
10.4	○ "					
10.5	○ "	○ "	○ "			
10.6	○ "					
10.7	○ "					
10.8	○ "					
10.9	○ "					
11.0	● "	● "	● "	○ "	○ "	○ "
11.1	○ "					
11.2	○ "					
11.3	○ "					
11.4	○ "					
11.5	○ "	○ "	○ "			
11.6	○ "					
11.7	○ "					
11.8	○ "					
11.9	○ "					
12.0	● "	● "	● "	○ "	○ "	○ "
12.1	○ "					
12.2	○ "	○ "				
12.3	○ "					
12.4	○ "					
12.5	○ "	○ "	○ "			
12.6	○ "					
12.7	○ "					
12.8	○ "					
12.9	○ "					
13.0	● "	● "	● "	○ "	○ "	
13.1	○ "					
13.2	○ "					
13.3	○ "					
13.4	○ "					
13.5	○ "	○ "				
13.6	○ "					
13.7	○ "					
13.8	○ "					
13.9	○ "					
14.0	● "	● "	● "	○ "	○ "	
14.1	○ "					
14.2	○ "					
14.3	○ "					
14.4	○ "					
14.5	○ "	○ "				
14.6	○ "					
14.7	○ "					

在庫品でも欠品の場合がございます。その折は何卒御容赦願います。

鉄鋼

ステンレス・チタン

アルミ

伸銅

樹脂

参考資料

工具鋼研磨棒（センタレス）

(丸) 在庫品● 取次ぎ品○

径	材質	SK4F	SKS21	SKD11	DC53	SKD61	プリハードン鋼 NAK80 HRC40
14.8		○ 2000					
14.9		○ "					
15.0		● "	● 2050	●	○ 2000	○ 2000	○ 2000
15.1		○ "					
15.2		○ "					
15.3		○ "					
15.4		○ "					
15.5		○ "	○ "				
15.6		○ "					
15.7		○ "					
15.8		○ "					
15.9		○ "					
16.0		● "	● "	●	○ "	○ "	○ "
16.1		○ "					
16.2		○ "					
16.3		○ "					
16.4		○ "					
16.5		○ "	○ "				
16.6		○ "					
16.7		○ "					
16.8		○ "					
16.9		○ "					
17.0		● "	● "	●	○ "	○ "	
17.2		○ "					
17.3		○ "					
17.4		○ "					
17.5		○ "					
17.7		○ "					
17.8		○ "					
17.9		○ "					
18.0		● "	● "	●	○ "	○ "	○ "
18.3							
18.5		○ "	○ "				
19.0		● "	● "	●	○ "	○ "	
19.5		○ "					
20.0		● "	● "	●	○ "	○ "	○ "
20.5		○ "					
21.0		● "	● "	●	○ "	○ "	
21.5		○ "					
22.0		● "	● "	●		○ "	
22.5		○ "					
23.0		● "	○ "	●	○ "	○ "	
23.5		○ "					
24.0		● "	● "	○		○ "	
24.5		○ "					
25.0		● "	● "	●	○ "	○ "	
25.4		○ "					
25.5		○ "					
26.0		● "	● "	○	○ "	○ "	
26.5		○ "					
27.0		● "					

在庫品でも欠品の場合がございます。その折は何卒御容赦願います。

(丸)

径 \ 材質	SK4F	SKS21	SKD11	DC53	SKD61	プリハードン鋼 NAK80 HRC40
27.5	○ 2000					
28.0	● //	○ 2050	○	○ 2000	○ 2000	
28.5	○ //					
29.0	○ //					
30.0	● //	○ //	○	○ //	○ //	
31.0	○ //					
32.0	● //	○ //	○	● //	○ //	
33.0	○ //					
34.0	○ //					
35.0	● //	○ //	○		○ //	
36.0	● //	○ //	○		○ //	
38.0	● //	○ //	○		○ //	
40.0	● //	○ //	○		○ //	
42.0	○ //	○ //			○ //	
45.0	● //	○ //			○ //	
48.0		○ //			○ //	
50.0	● //	○ //			○ //	

在庫品でも欠品の場合がございます。その折は何卒御容赦願います。

アイケーメタル株式会社

鉄鋼

ステンレス・チタン

アルミ

伸銅

樹脂

参考資料