

デンスバー®標準品サイズ及び重量表

取次ぎ品

ダクタイル鋳鉄

(単位: kg)

DC1 丸 (D-4・D-S: $\phi 40 \sim \phi 500$ 、D-5: $\phi 40 \sim \phi 200$)

※ $\phi 200$ 以下 D-6材製作可能

ϕ L	1,000mm	3,000mm
40 mm	9.1	27.3
45	11.4	34.2
50	14.1	42.3
55	17.1	51.3
60	20.4	61.2
65	23.9	71.7
70	27.7	83.1
75	31.8	95.4
80	36.2	108.6
85	40.9	122.7
90	45.8	137.4
95	51.0	153.0
100	56.5	169.5
105	62.3	186.9
110	68.4	205.2
115	74.8	224.4
120	81.4	244.2
125	88.4	265.2
130	95.6	286.8

ϕ L	1,000mm	3,000mm
135 mm	103.1	309.3
145	118.9	356.7
150	127.2	381.6
155	135.9	407.7
165	154.0	462.0
170	163.4	490.2
175	173.2	519.6
185	193.5	580.5
200	226.2	678.6
220	273.7	821.1
230	299.9	899.7
250	353.4	1,060.2
285	459.1	1,377.3
300	508.7	1,526.1
350	692.4	2,077.2
400	904.3	2,712.9
450	1,144.5	3,433.5
500	1,413.0	4,239.0

D-4 丸

ϕ L	1,000mm	2,100mm
20 mm	2.3	4.8
30	5.1	10.7

ϕ L	1,000mm	2,100mm
35 mm	6.9	14.5

D-4 角

$\square$ L	1,000mm	3,000mm
55 × 55mm	21.7	65.3
65 × 65	30.4	91.2
75 × 75	40.4	121.3
85 × 85	51.9	155.6
95 × 95	64.8	194.5
105 × 105	79.2	237.7

$\square$ L	1,000mm	3,000mm
125 × 125mm	112.3	337.0
150 × 150	161.8	485.4
215 × 215	332.8	998.4
325 × 325	760.5	2,281.5
510 × 510	1,872.7	5,618.1

D-4 平角

$\square$ L	1,000mm	3,000mm
50 × 75mm	27.0	81.0
100	36.0	108.0
150	54.0	162.0
65 × 100	46.8	140.4
75 × 100	54.0	162.0
150	81.0	243.0
100 × 150	108.0	324.0

$\square$ L	1,000mm	3,000mm
110 × 245mm	194.0	582.0
111 × 136	108.7	326.1
156 × 207	232.5	697.5
204 × 394	578.7	1,736.1
250 × 350	630.0	1,890.0
275 × 435	861.3	2,583.9
355 × 405	1,035.2	3,105.6

D-4 平角

$\square$ L	1,000mm	3,000mm
43 × 50mm	15.5	46.5
50 × 65	23.4	70.2

$\square$ L	1,000mm	3,000mm
60 × 75mm	32.4	97.2
100 × 150	108.0	324.0

※丸材60 ϕ 以下はピーリングマシンにより表面の高精度品や、小ロットの中間サイズに応じられます。

※生産、堅鋸盤などにより掲載以外のサイズに応じることが可能です。

※記載サイズは予告なく変更する場合がございます。

デンスバー®標準品サイズ及び重量表

取次ぎ品

普通鑄鉄

(単位 : kg)

E-C 丸

※FC250相当

φ L	1,000mm	2,100mm
17 mm	1.6	3.4
20	2.3	4.8
22.5	2.9	6.1
25	3.6	7.6
28	4.4	9.2
30	5.1	10.7
32	5.8	12.2
35	6.9	14.5
38	8.2	17.2
40	9.1	19.1
42.5	10.2	21.4
45	11.4	23.9
φ L	1,000mm	3,000mm
50 mm	14.1	42.3
55	17.1	51.3
60	20.4	61.2
65	23.9	71.7
70	27.7	83.1
75	31.8	95.4
80	36.2	108.6
85	40.9	122.7
90	45.8	137.4
95	51.0	153.0
100	56.5	169.5

φ L	1,000mm	3,000mm
105 mm	62.3	186.9
110	68.4	205.2
115	74.8	224.4
120	81.4	244.2
125	88.4	265.2
130	95.6	286.8
135	103.1	309.3
140	110.8	332.4
145	118.9	356.7
150	127.2	381.6
155	135.9	407.7
160	144.8	434.4
165	154.0	462.0
170	163.4	490.2
175	173.2	519.6
180	183.2	549.6
185	193.5	580.5
190	204.1	612.3
200	226.2	678.6
205	237.6	712.8
210	249.4	748.2
220	273.7	821.1
230	299.9	899.7
240	325.7	977.1

E-2 丸

※FC200相当

φ L	1,000mm	3,000mm
250 mm	353.4	1,060.2
260	382.1	1,146.3
270	412.0	1,236.0
285	459.1	1,377.3
300	508.7	1,526.1
310	543.2	1,629.6
325	597.0	1,791.0
350	692.4	2,077.2

φ L	1,000mm	3,000mm
365 mm	753.0	2,259.0
380	816.1	2,448.3
400	904.3	2,712.9
410	950.1	2,850.3
435	1,069.5	3,208.5
450	1,144.5	3,433.5
475	1,275.2	3,825.6
500	1,413.0	4,239.0

普通鑄鉄

(単位: kg)

E-C 角

※FC250相当

□ L	1,000mm	3,000mm
40 × 40mm	11.5	34.5
45 × 45	14.5	43.7
50 × 50	18.0	54.0
55 × 55	21.7	65.3
60 × 60	25.9	77.7
65 × 65	30.4	91.2
70 × 70	35.2	105.8
75 × 75	40.4	121.3
80 × 80	45.9	137.9
85 × 85	51.9	155.6
90 × 90	58.2	174.6
95 × 95	64.8	194.5
100 × 100	71.9	215.7
105 × 105	79.2	237.7

□ L	1,000mm	3,000mm
110 × 110mm	87.1	261.0
115 × 115	95.1	285.2
120 × 120	103.5	310.7
125 × 125	112.3	337.0
130 × 130	121.4	364.4
140 × 140	140.9	422.7
150 × 150	161.8	485.4
160 × 160	184.1	552.3
170 × 170	207.8	623.6
180 × 180	232.6	698.0
190 × 190	259.9	779.7
200 × 200	287.4	862.2
215 × 215	332.8	998.4
230 × 230	380.9	1,142.7

E-2 角

※FC200相当

□ L	1,000mm	3,000mm
250 × 250mm	450.0	1,350.0
275 × 275	544.5	1,633.5
300 × 300	648.0	1,944.0
325 × 325	760.5	2,281.5
350 × 350	882.0	2,646.0

□ L	1,000mm	3,000mm
375 × 375mm	1,012.5	3,037.5
400 × 400	1,152.0	3,456.0
450 × 450	1,458.0	4,374.0
500 × 500	1,800.0	5,400.0

E-C 平角

※FC250相当

□ L	1,000mm	3,000mm
20 × 45mm	6.5	19.5
55	7.9	23.7
85	12.2	36.6
105	15.1	45.3
22 × 70	11.1	33.3
25 × 50	9.0	27.0
60	10.8	32.4
75	13.5	40.5
100	18.0	54.0
125	22.5	67.5
29 × 53	11.1	33.3
30 × 60	13.0	39.0
80	17.3	51.9
145	31.3	93.9
35 × 40	10.1	30.3
75	18.9	56.7
90	22.7	68.1
100	25.2	75.6
125	31.5	94.5
150	37.8	113.4
38 × 75	20.5	61.5
40 × 85	24.5	73.5
43 × 50	15.5	46.5
45 × 85	27.5	82.5
110	35.6	106.8
130	42.1	126.3
50 × 65	23.4	70.2
75	27.0	81.0
100	36.0	108.0
150	54.0	162.0
55 × 105	41.6	124.8
125	49.5	148.5

□ L	1,000mm	3,000mm
55 × 186mm	73.7	221.1
60 × 73	31.5	94.5
75	32.4	97.2
100	43.2	129.6
62 × 115	51.3	153.9
64 × 86	39.6	118.8
65 × 75	35.1	105.3
100	46.8	140.4
125	58.5	175.5
70 × 130	65.5	196.5
72 × 76	39.4	118.2
74 × 85	45.3	135.9
75 × 90	48.6	145.8
100	54.0	162.0
120	64.8	194.4
125	67.5	202.5
150	81.0	243.0
77 × 95	52.7	158.1
80 × 150	86.4	259.2
170	97.9	293.7
90 × 125	81.0	243.0
150	97.2	291.6
100 × 125	90.0	270.0
150	108.0	324.0
200	144.0	432.0
110 × 170	134.6	403.8
115 × 180	149.0	447.0
125 × 190	171.0	513.0
130 × 215	201.2	603.6
140 × 175	176.4	529.2
215 × 245	379.3	1,137.9

E-2 平角

※FC200相当

□ L	1,000mm	3,000mm
100 × 250mm	180.0	540.0
150 × 510	550.8	1,652.4

□ L	1,000mm	3,000mm
150 × 710mm	766.8	2,300.4
150 × 910	982.8	2,948.4

鉄鋼

ステンレス・チタン

アルミ

伸銅

樹脂

参考資料