

アルミ

アルミ丸棒

取次ぎ品○

長さ：2,000mm (A2011B は2,500mm)

※切断販売も致します。(一部切断不可のものも
あります)



鉄鋼

ステンレス・チタン

アルミ

伸銅

樹脂

参考資料

径	材質	A 2017	A 5056	A 1070B	A 1050B	A2011B		A2014 B-T6	A2017 B-T4
						鉛入り	鉛フリー		
2.5				○					
3			○	○		○			
3.5				○					
4		○	○	○		○			○
5		○	○	○		○	○		○
5.5				○					
6		○	○	○		○	○		○
7		○	○	○		○	○		○
8		○	○	○		○	○		○
9		○	○	○		○	○		○
10		○	○	○		○	○		○
11		○	○	○		○	○		○
12		○	○	○		○	○		○
13		○	○	○		○	○		○
14		○	○	○		○	○		○
15		○	○	○		○	○	○	○
16		○	○	○	○	○	○		○
17		○	○	○		○	○		○
18		○	○	○	○	○	○		○
19		○	○	○		○	○		○
20		○	○	○	○	○	○	○	○
21		○	○			○	○		○
22		○	○	○	○	○	○		○
23		○	○			○	○		○
24		○	○			○	○		○
25		○	○	○	○	○	○	○	○
26		○	○	○		○	○		○
27		○	○			○	○		○
28		○	○	○	○	○	○		○
29		○	○			○			○
30		○	○	○	○	○	○	○	○
31		○	○			○	○		○
32		○	○	○		○	○		○
33		○	○			○	○		○
34		○	○			○	○		○
35		○	○	○	○	○	○	○	○
36		○	○	○		○	○		○
37		○	○			○	○		○
38		○	○	○		○	○		○
39		○	○			○			○
40		○	○	○	○	○	○	○	○
41		○	○			○	○		○
42		○	○	○		○	○		○

取次ぎ品○

長さ：2,000mm（A2011B は2,500mm）

※切断販売も致します。（一部切断不可のものもあります）

径	材質	A	A	A	A	A2011B		A2014	A2017
		2017	5056	1070B	1050B	鉛入り	鉛フリー	B-T6	B-T4
43		○	○			○			○
44		○	○			○			○
45		○	○	○	○	○	○	○	○
46		○	○			○	○		○
47		○	○			○			○
48		○	○			○	○		○
49		○	○			○			○
50		○	○	○	○	○	○	○	○
51		○	○						○
52		○	○						○
53		○	○						○
54		○	○						○
55		○	○	○	○	○	○	○	○
56		○	○						
57		○	○						
58		○	○						
59		○	○						
60		○	○	○	○	○	○	○	○
61		○	○						
62		○	○						
63		○	○						
64		○	○						
65		○	○	○	○			○	○
68		○	○						
70		○	○	○	○	○	○	○	○
71		○	○						
75		○	○	○	○	○		○	○
80		○	○	○	○	○		○	○
81		○	○						
85		○	○	○	○	○		○	○
90		○	○	○	○	○		○	○
95		○	○	○	○	○		○	○
100		○	○	○	○	○		○	○
105		○	○						○
110		○	○	○		○		○	○
115		○	○						○
120		○	○	○	○	○		○	○
125		○	○						○
130		○	○	○		○		○	○
135		○	○						○
140		○	○	○		○		○	○
145		○	○						○
150		○	○	○		○		○	○
155		○	○						○
160		○	○	○		○		○	○
165		○	○						○
170		○	○					○	○
175		○	○						○
180		○	○					○	○
185									○
190		○	○						○

鉄鋼

ステンレス・チタン

アルミ

伸銅

樹脂

参考資料

アルミ丸棒

取次ぎ品○

長さ：2,000mm (A2011B は2,500mm)

※切断販売も致します。(一部切断不可のものもあります)

径	材質	A 2017	A 5056	A 1070B	A 1050B	A2011B		A2014 B-T6	A2017 B-T4
						鉛入り	鉛フリー		
200		○	○					○	○
210		○	○						○
220		○	○					○	○
230		○	○						○
240		○	○						○
250		○	○					○	○
260		○	○						○
270		○	○						○
280		○	○						○
290		○	○						○
300		○	○						○
310		○	○						○
320		○	○						○
330			○						○
340			○						○
350		○	○						○
360		○	○						○
370		○	○						
375			○						
380			○						
390			○						
400		○	○						
420			○						
450			○						
460			○						
480			○						
500			○						

鉄鋼

ステンレス・チタン

アルミ

伸銅

樹脂

参考資料

アルミ丸棒

取次ぎ品○

長さ：2,000mm *は8.4φ

※切断販売も致します。(一部切断不可のものも
あります)



径	材質	A5052B	A5083 B-O	A6061 B-T6	A6063 B-T6	A7075 B-T6511
2		○				
3		○				
4		○				
5		○				
6		○				
7		○				
8		○		○	○	○*
9		○			○	
10		○		○	○	○
11		○				
12		○		○	○	○
13		○			○	
14		○		○		
15		○		○	○	○
16		○		○	○	○
17		○				
18		○		○		○
19		○		○		
20		○	○	○	○	○
21						
22		○				
23						
24						
25		○	○	○	○	○
26		○		○		
27						
28		○		○		
29						
30		○	○	○	○	○
31						
32		○		○	○	
33						
34						
35		○	○	○		○
36					○	
37						
38		○		○		
39						
40		○	○	○	○	○
41						
42		○		○		
43						
44						

鉄鋼

ステンレス・チタン

アルミ

伸銅

樹脂

参考資料

アルミ丸棒

取次ぎ品○

長さ：2,000mm

※切断販売も致します。(一部切断不可のものもあります)

鉄鋼

ステンレス・チタン

アルミ

伸銅

樹脂

参考資料

径	材質	A5052B	A5083 B-O	A6061 B-T6	A6063 B-T6	A7075 B-T6511
45		○	○	○	○	○
46						
47						
48						
49						
50		○	○	○	○	○
51						
52						
53						
54						
55		○		○		○
56						
57						
58						
59						
60		○	○	○	○	○
61						
62				○		
63						
65		○		○		○
68						
70		○	○	○	○	○
72						
75		○		○	○	○
80		○	○	○	○	○
85		○	○	○	○	○
90		○	○	○	○	○
95		○	○	○	○	○
100		○	○	○	○	○
105				○		
110		○	○	○	○	○
115				○		
120		○	○	○	○	○
125				○		
130		○	○	○	○	○
135				○		
140		○	○	○	○	○
145						
150		○	○	○	○	○
155						
160		○	○	○	○	○
165						
170		○		○		○
175						
180		○	○	○	○	○
185						
190		○		○		○
200		○	○	○	○	○
210		○	○	○	○	○
220		○	○	○		○

長さ：2,000mm

※切断販売も致します。(一部切断不可のものもあります)

径	材質	A5052B	A5083 B-O	A6061 B-T6	A6063 B-T6	A7075 B-T6511
230		○	○	○	○	○
240			○	○		○
250		○	○	○	○	○
260		○	○	○		○
270		○	○	○		
280		○	○	○		○
290			○	○		
300		○	○	○	○	○
310		○	○	○	○	
320		○	○	○		
330		○	○	○	○	
340			○	○		
350		○	○	○	○	
360		○	○	○	○	
370						
380						
390						
400				○		
420						
450						
480						
500						

鉄鋼

ステンレス・チタン

アルミ


伸銅

樹脂

参考資料

アルミ角・平角棒

取次ぎ品○



アルミ 四角棒

A6063 サイズ
5
6
7
8
9
10
12
13
14
15
16
18
19
20
22
25
30
32
35
38
40
45
50
55
60
65
70
75
80
85
90
95
100

寸法	A 6063	アル マイト
2 × 10	○	
15	○	
20	○	
25	○	
30	○	
40	○	
50	○	
3 × 10	○	
12	○	
15	○	
20	○	○
25	○	○
30	○	○
35	○	
40	○	○
50	○	○
60	○	
70	○	
4 × 10	○	
12	○	
15	○	
20	○	○
25	○	○
30	○	
35	○	
40	○	
45	○	○
50	○	○
60	○	
70	○	
5 × 10	○	
12	○	
15	○	
20	○	○
25	○	○
30	○	○
35	○	
40	○	○
50	○	○
60	○	
70	○	
100	○	
6 × 9	○	
10	○	
12	○	
15	○	
20	○	
25	○	○
30	○	○
32	○	
35	○	
40	○	○
50	○	○

寸法	A 6063	アル マイト
6 × 60	○	
75	○	
100	○	
160	○	
8 × 15	○	
20	○	
25	○	
30	○	
32	○	
35	○	
40	○	
50	○	
60	○	
75	○	
100	○	
9 × 20	○	
30	○	
40	○	
50	○	
60	○	
75	○	
100	○	
10 × 15	○	
20	○	
25	○	
30	○	
35	○	
40	○	
45	○	
50	○	
60	○	
64	○	
70	○	
75	○	
10 × 80	○	
100	○	
120	○	
125	○	
150	○	
12 × 15	○	
20	○	
25	○	
30	○	
40	○	
50	○	
60	○	
75	○	
100	○	
120	○	
150	○	
13 × 25	○	
40	○	

寸法	A 6063	アル マイト
15 × 20	○	
25	○	
30	○	
40	○	
50	○	
60	○	
75	○	
100	○	
150	○	
200	○	
20 × 25	○	
30	○	
35	○	
40	○	
50	○	
60	○	
70	○	
80	○	
100	○	
150	○	
200	○	
25 × 30	○	
35	○	
40	○	
50	○	
60	○	
80	○	
100	○	
150	○	
200	○	
30 × 40	○	
50	○	
60	○	
65	○	
75	○	
100	○	
150	○	
200	○	
35 × 40	○	
50	○	
60	○	
75	○	
85	○	
100	○	
40 × 50	○	
60	○	
65	○	
75	○	
100	○	
50 × 100	○	
76 × 100	○	

鉄鋼

ステンレス・チタン

アルミ

伸銅

樹脂

参考資料

アルミ定尺板

取次ぎ品○



材質	A1050	A1050	A1050	A1100	A5052	A5052	A5052縞板
大きさ 板厚	400 × 1200 (小板)	1000 × 2000	1250 × 2500	1000 × 2000	1000 × 2000	1250 × 2500 (4' × 8')	1250 × 2500 (4' × 8')
0.3	○	○			○		
0.4	○	○			○		
0.5	○	○			○	○	
0.6	○	○			○		
0.7	○				○		
0.8	○	○	○		○	○	
1	○	○	○	○	○	○	
1.2		○	○	○	○	○	
1.5	○	○	○	○	○	○	
1.6		○			○	○	
2	○	○	○	○	○	○	○
2.5	○	○	○	○	○	○	○
3	○	○	○	○	○	○	○
3.2							
3.5					○		○
4	○	○	○	○	○	○	
4.5					○		○
5	○	○	○	○	○	○	
6		○	○		○	○	○
8					○	○	
10		○			○	○	
12					○	○	
15					○	○	

鉄鋼

ステンレス・チタン

アルミ

伸銅

樹脂

参考資料

アルミ切板

取次ぎ品○

鉄鋼

ステンレス・チタン

アルミ

伸銅

樹脂

参考資料

材質 板厚	A 2017	A 5052	アル ハイス	YH52
1		○		
1.5		○		
2		○		
3	○	○		
4	○	○	○	○
5	○	○	○	○
6	○	○	○	○
7	○	○		○
8	○	○	○	○
9	○	○		○
10	○	○	○	○
12	○	○	○	○
15	○	○	○	○
16		○	○	○
18	○	○	○	○
20	○	○	○	○
22		○	○	○
25	○	○	○	○
28	○	○		
30	○	○	○	○
32	○	○		○
35	○	○	○	○
36		○		
40	○	○	○	○
45	○	○	○	○
50	○	○	○	○
55	○	○		
60	○	○		
65	○	○		
70	○	○		

材質 板厚	A 2017	A 5052	アル ハイス	YH52
75	○	○		
80	○	○		
85	○	○		
90	○	○		
95	○	○		
100	○	○		
105	○	○		
110	○	○		
115	○	○		
120	○	○		
125		○		
130	○	○		
135		○		
140		○		
145		○		
150	○	○		
160		○		
170		○		
180		○		
190		○		
200		○		
220		○		
230		○		
250		○		
260		○		
290		○		
300		○		
320		○		
350		○		

アルミ丸パイプ

取次ぎ品○



鉄鋼

ステンレス・チタン

アルミ

伸銅

樹脂

参考資料

外径×肉厚	材質		
	A5052	A5056	A6063
5 × 1			○
6 × 1			○
7 × 1			○
8 × 1			○
8 × 1.4	○		
9 × 1			○
9.5 × 1			○
10 × 1			○
10 × 1.4	○		
10 × 1.5			○
10 × 2			○
11 × 1			○
12 × 1	○		○
12 × 1.5			○
12 × 2	○		○
12.7 × 1			○
13 × 1			○
13 × 1.5			○
13 × 2			○
14 × 1			○
14 × 1.5			○
14 × 2			○
14 × 3.5		○	
15 × 1			○
15 × 1.4	○		
15 × 1.5			○
15 × 2			○
16 × 1			○
16 × 1.5			○
16 × 2	○		○
16 × 3	○		
16 × 3.5		○	
18 × 1			○
18 × 1.5			○
18 × 2			○
18 × 5		○	
19 × 1	○		○
19 × 1.5			○
19 × 2	○		○
20 × 1			○
20 × 1.4	○		
20 × 1.5			○
20 × 2	○		○
20 × 2.5			○

外径×肉厚	材質		
	A5052	A5056	A6063
20 × 3	○		○
20 × 5		○	
21 × 3.5		○	
22 × 1			○
22 × 1.5			○
22 × 2	○		○
22 × 3	○		○
22 × 5		○	
24 × 4		○	
25 × 1			○
25 × 1.5			○
25 × 1.6	○		
25 × 2	○		○
25 × 2.5			○
25 × 3	○		○
25 × 4			○
25 × 7		○	
26 × 5.5		○	
28 × 1			○
28 × 1.5			○
28 × 1.6	○		
28 × 2	○		○
28 × 3	○		○
28 × 4.5		○	
28 × 8		○	
30 × 1			○
30 × 1.4	○		
30 × 1.5			○
30 × 2	○		○
30 × 2.5			○
30 × 3	○	○	○
30 × 4			○
30 × 5		○	
30 × 7.5		○	
30 × 10		○	
31 × 3.5		○	
32 × 1			○
32 × 1.5			○
32 × 2	○		○
32 × 3	○		○
33 × 7.5		○	
35 × 1			○
35 × 1.5			○
35 × 2	○		○

外径×肉厚	材質		
	A5052	A5056	A6063
35 × 2.5			○
35 × 3	○		○
35 × 4			○
35 × 5		○	
35 × 10		○	
36 × 9.25		○	
37.5 × 5		○	
38 × 1			○
38 × 1.5			○
38 × 2	○		○
38 × 3	○		○
38 × 3.75	○		
38 × 4	○		
38 × 5	○		
38 × 7.5		○	
40 × 1			○
40 × 1.5			○
40 × 2	○		○
40 × 2.5			○
40 × 3	○	○	○
40 × 4	○		○
40 × 5	○	○	○
40 × 7.5		○	
40 × 10		○	
40 × 15		○	
42 × 2			○
45 × 1			○
45 × 1.5			○
45 × 2	○		○
45 × 3	○		○
45 × 5	○	○	○
45 × 10		○	
45 × 15		○	
48 × 10.5		○	
50 × 1			○
50 × 1.5			○
50 × 2	○		○
50 × 3	○		○
50 × 4	○		○
50 × 5	○	○	○
50 × 7.5		○	
50 × 10		○	
50 × 15		○	
50 × 20		○	

アルミ丸パイプ

取次ぎ品○

鉄鋼

ステンレス・チタン

アルミ

伸銅

樹脂

参考資料


外径×肉厚	材質	A5052	A5056	A6063
55 × 2				○
55 × 3				○
55 × 5	○	○		
55 × 8	○			
55 × 10		○		
55 × 15		○		
60 × 2	○		○	
60 × 2.5				○
60 × 3	○		○	
60 × 4	○			○
60 × 5	○	○	○	
60 × 7.5		○		
60 × 10		○		
60 × 15		○		
60 × 20		○		
65 × 2				○
65 × 3	○			○
65 × 5	○	○		
65 × 10		○		
65 × 15		○		
65 × 17.5		○		
65 × 20		○		
70 × 2				○
70 × 3	○		○	
70 × 4				○
70 × 5	○	○	○	
70 × 10		○		
70 × 12.5		○		
70 × 15		○		
70 × 20		○		
75 × 3				○
75 × 5		○		
75 × 10		○		
75 × 15		○		
75 × 20		○		
80 × 3	○			○
80 × 4	○			○
80 × 5	○	○	○	
80 × 10		○		
80 × 15		○		
80 × 20		○		
85 × 5		○		
85 × 10		○		
85 × 15		○		
85 × 20		○		
90 × 3				○
90 × 4	○			
90 × 5	○	○	○	
90 × 10		○		
90 × 15		○		
90 × 20				
95 × 5		○		

外径×肉厚	材質	A5052	A5056	A6063
95 × 10			○	
95 × 15			○	
95 × 20			○	
100 × 3	○			○
100 × 5	○	○	○	
100 × 10		○		
100 × 15		○		
100 × 20		○		
100 × 30		○		
110 × 3				○
110 × 5	○			○
110 × 10		○		
110 × 15		○		
110 × 20		○		
110 × 30		○		
120 × 3				○
120 × 4	○			
120 × 5	○			○
120 × 10			○	
120 × 15			○	
120 × 20			○	
120 × 30			○	
130 × 3	○			○
130 × 5	○			
130 × 10		○		
130 × 15		○		
130 × 20		○		
130 × 30		○		
140 × 5	○			○
140 × 10		○		
140 × 15		○		
140 × 20		○		
140 × 30		○		
150 × 3				○
150 × 5	○			○
150 × 10		○		
150 × 15		○		
150 × 20		○		
150 × 30		○		
160 × 5				○
160 × 10		○		
160 × 15		○		
160 × 20		○		
160 × 30		○		
170 × 10		○		
170 × 15		○		
170 × 20		○		
170 × 30		○		
180 × 5				○
180 × 10		○		
180 × 15		○		
180 × 20		○		

外径×肉厚	材質	A5052	A5056	A6063
180 × 30			○	
190 × 10	○			
190 × 15			○	
190 × 20			○	
190 × 30			○	
200 × 5				○
200 × 10	○			
200 × 15			○	
200 × 20			○	
200 × 30			○	
210 × 20			○	
220 × 6				○
220 × 20			○	
230 × 20			○	
240 × 20			○	
250 × 20			○	
260 × 20			○	
280 × 20			○	
300 × 20			○	
320 × 25			○	

アルミ角パイプ

取次ぎ品○



アルミ平角管

寸法	A6063
15 × 10 × 1.2	○
25 × 12 × 1.2	○
25 × 15 × 1.5	○
30 × 15 × 1.5	○
30 × 20 × 1.5	○
30 × 20 × 2	○
30 × 20 × 2.5	○
30 × 25 × 3	○
40 × 20 × 2	○
40 × 20 × 2.5	○
40 × 25 × 3	○
40 × 30 × 2	○
50 × 25 × 2	○
50 × 30 × 2	○
60 × 25 × 2	○
60 × 30 × 2	○
60 × 30 × 2.5	○
60 × 40 × 2	○
60 × 40 × 2.5	○
60 × 40 × 3	○
60 × 40 × 4	○
70 × 30 × 2	○
70 × 30 × 3	○
70 × 40 × 3	○
80 × 40 × 2.5	○
80 × 40 × 3	○
100 × 30 × 2	○
100 × 30 × 2.5	○
100 × 50 × 2.5	○
100 × 50 × 3	○
120 × 60 × 2.5	○
150 × 50 × 2.5	○
150 × 50 × 3	○

アルミ四角管

寸法	A6063
10 × 1	○
12 × 1.2	○
15 × 1.5	○
19 × 1.5	○
19 × 2.4	○
20 × 2	○
20 × 2.5	○
25 × 1.5	○
25 × 2	○
25 × 2.5	○
30 × 1.5	○
30 × 2	○
30 × 3	○
40 × 2	○
40 × 2.5	○
40 × 3	○
50 × 2	○
50 × 2.5	○
50 × 3	○
60 × 2	○
70 × 2.5	○
75 × 2.5	○
80 × 2.5	○
100 × 2.5	○
100 × 3	○

鉄鋼

ステンレス・チタン

アルミ


伸銅

樹脂

参考資料

アルミ アングル、チャンネル (A6063)

取次ぎ品○




アルミ等辺アングル (A6063)

寸法	63S	アルマト	R 付き
1 × 15	○		
20	○		
25	○		
1.2 × 10	○		
12	○		
1.5 × 10	○		
15	○		
19	○		
20	○		
25	○		
30	○		
50	○		
2 × 10	○		
15	○	○	
20	○	○	
25	○	○	
30	○	○	
40	○		
50	○		
3 × 15	○	○	
20	○	○	
25	○	○	
30	○	○	
35	○		
40	○	○	
50	○	○	
4 × 25	○		
30	○		
35	○		
40	○		○
50	○	○	
5 × 25	○		
30	○		
35	○		
40	○		○
50	○	○	○
60	○		
6 × 40	○		○
50	○		○
60	○		○
65	○		○
70	○		○
75	○		○
8 × 80	○		○
9 × 75	○		○
10 × 100	○		○

アルミ不等辺アングル (A6063)

寸法	63S	アルマト	R 付き
1.5 × 10 × 15	○		
10 × 20	○		
10 × 25	○		
10 × 30	○		
10 × 40	○		
15 × 20	○		
15 × 25	○		
1.6 × 9 × 20	○		
1.8 × 15 × 18	○		
2 × 10 × 15	○		
10 × 50	○		
15 × 20	○	○	
15 × 25	○		
15 × 30	○	○	
20 × 25	○		
20 × 30	○		
20 × 40	○	○	
20 × 50	○		
25 × 50	○		
30 × 50	○		
40 × 70	○		
2.5 × 13 × 35	○		
3 × 20 × 30	○	○	
20 × 40	○	○	
20 × 50	○		
25 × 50	○	○	
30 × 40	○		
4 × 35 × 50	○		
5 × 40 × 60	○		
50 × 75	○		○
6 × 60 × 90			○
10 × 75 × 100			○
12 × 75 × 125			○

アルミチャンネル (A6063)



寸法 t × A × B	63S
1.5 × 10 × 10	○
15 × 15	○
20 × 12	○
1.6 × 10 × 10	○
2 × 12 × 12	○
15 × 15	○
18 × 10	○
20 × 20	○
22 × 12	○
25 × 25	○
30 × 15	○
35 × 20	○
40 × 20	○
2.4 × 30 × 30	○
35 × 20	○
2.5 × 20 × 20	○
50 × 25	○
3 × 15 × 15	○
26 × 23	○
30 × 25	○
40 × 20	○
50 × 25	○
60 × 30	○
3.2 × 75 × 40	○
3.6 × 90 × 30	○
4 × 80 × 40	○
5 × 75 × 50	○
100 × 50	○
6 × 75 × 40	○
80 × 40	○
125 × 65	○
8 × 150 × 75	○

鉄鋼

ステンレス・チタン

アルミ

伸銅

樹脂

参考資料