

伸銅

伸銅品丸棒

取次ぎ品○



※写真は C3604・真鍮

質径 材	C1020B 無酸素銅	C1100B タフピッチ銅	CrCu クローム銅	ペリウム銅 25合金	ペリウム銅 50合金	C5191B りん青銅	C6191B ABB2	BC3 砲金	BC6 砲金	C3604 真鍮	C3604B がミス 真鍮
3	○	○	○	○	○	○				○	○
4	○	○	○	○		○				○	○
4.5		○									
5	○	○	○	○	○	○				○	○
6	○	○	○	○	○	○				○	○
7	○	○	○		○	○				○	○
8	○	○	○	○	○	○				○	○
9		○	○		○	○				○	○
10	○	○	○	○	○	○				○	○
11		○	○		○	○				○	○
12	○	○	○	○	○	○				○	○
13	○	○	○	○	○	○				○	○
14	○	○	○	○	○	○				○	○
15	○	○		○	○	○				○	○
16		○	○	○	○	○	○			○	○
17		○	○			○	○			○	○
18		○	○	○	○	○	○			○	○
19		○		○	○	○				○	○
20	○	○	○	○	○	○	○	○	○	○	○
21		○				○				○	○
22		○	○	○	○	○	○			○	○
23	○					○				○	○
24		○			○	○				○	○
25	○	○	○	○	○	○	○		○	○	○
26		○	○		○	○	○			○	○
27										○	○
28		○	○		○	○	○			○	○
29		○								○	○
30	○	○	○	○	○	○	○	○	○	○	○
31										○	
32		○	○	○	○	○	○			○	○
33		○								○	
34		○				○	○			○	
35	○	○	○	○	○	○	○		○	○	○
36		○	○			○	○			○	
37										○	
38	○	○	○	○		○	○			○	
39										○	
40	○	○	○		○	○	○	○	○	○	○
41										○	
42		○				○	○			○	
43	○									○	

鉄鋼

ステンレス・チタン

アルミ

伸銅

樹脂

参考資料

質径 材	C1020B 無酸素銅	C1100B タブピッチ銅	CrCu クローム銅	ベリウム銅 25合金	ベリウム銅 50合金	C5191B りん青銅	C6191B ABB2	BC3 砲金	BC6 砲金	C3604 真鍮	C3604B カミレス 真鍮
44										○	
45	○	○	○	○	○	○	○		○	○	○
46						○				○	
47										○	
48		○				○				○	
50	○	○	○	○	○	○	○	○	○	○	○
52		○								○	
55	○	○	○	○		○	○		○	51~55○	○
56										○	
57										○	
58										○	
60	○	○	○	○	○	○	○	○	○	○	○
62										○	
63										○	
65		○		○		○	○		○	○	○
67										○	
68										○	
70	○	○	○	○		○	○	○	○	○	○
73										○	
75		○				○	○		○	○	○
80	○	○	○	○		○	○	○	○	○	○
82										○	
85		○	○	○		○	○		○	○	○
90	○	○	○	○		○	○	○	○	○	○
95		○	○	○		○	○	○	○	○	○
100	○	○	○	○		○	○	○	○	○	○
105		○	○	○		○	○	○	○	○	○
110	○	○	○	○		○	○	○	○	○	○
115			○				○	○	○	○	
120	○	○	○			○	○	○	○	○	○
125									○	○	
130	○	○	○			○	○		○	○	○
135										○	
140	○	○	○			○	○		○	○	○
145										○	
150	○	○	○			○	○	○	○	○	○
155										○	
160	○	○	○			○	○		○	○	○
165										○	
170	○	○	○			○	○			○	○
180	○	○	○			○	○		○	○	○
190	○		○			○				○	○
200	○	○	○			○	○		○	○	○
210	○	○							○	○	○
220	○	○								○	○
230	○	○				○			○	○	○
240	○	○								○	○
250	○	○							○	○	○
260	○	○								○	
270		○							○	○	
280		○								○	
290		○							○	○	
300	○	○							○	○	
320		○								○	
350		○								○	

鉄鋼

ステンレス・チタン

アルミ


伸銅

樹脂

参考資料

伸銅品平角棒

取次ぎ品○



※写真は真鍮

鉄鋼

ステンレス・チタン

アルミ

伸銅

樹脂

参考資料

寸法	タフピッチ 銅	真鍮	カドミレス 真鍮
2×6	○		
2×8	○		
2×10	○	○	
2×15	○	○	
2×20	○	○	
2×25	○	○	
2×30	○	○	
3×6	○	○	
3×8	○	○	
3×9	○	○	
3×10	○	○	○
3×12	○	○	○
3×15	○	○	○
3×16	○	○	
3×18	○	○	
3×20	○	○	○
3×21	○	○	
3×25	○	○	
3×30	○	○	○
3×35	○	○	○
3×38	○	○	
3×40	○	○	○
3×50	○	○	○
3×100	○		
4×8		○	
4×10	○	○	
4×12	○	○	
4×15	○	○	
4×18	○		
4×20	○	○	
4×25	○	○	
4×30	○	○	
4×35	○	○	
4×40	○	○	
4×50	○	○	
4×60	○		
4×100	○		
4.5×12		○	
4.5×18		○	
5×8		○	
5×10	○	○	○
5×12	○	○	
5×15	○	○	○
5×18	○	○	
5×19		○	
5×20	○	○	○
5×22	○	○	

寸法	タフピッチ 銅	真鍮	カドミレス 真鍮
5×25	○	○	○
5×30	○	○	○
5×32	○	○	
5×35	○	○	
5×38	○	○	
5×40	○	○	○
5×45		○	
5×50	○	○	○
5×60	○	○	○
5×75	○		
5×100	○		
5×150	○		
6×8		○	
6×9		○	
6×10	○	○	○
6×12	○	○	○
6×15	○	○	○
6×18	○	○	
6×19	○	○	
6×20	○	○	○
6×22	○	○	
6×24		○	
6×25	○	○	○
6×30	○	○	○
6×32	○	○	
6×35	○	○	○
6×38	○	○	○
6×40	○	○	○
6×45	○	○	○
6×50	○	○	○
6×60	○	○	
6×65	○	○	
6×75	○	○	
6×80	○		
6×100	○	○	
6×125	○		
6×150	○		
6×200	○		
7×20	○	○	
8×10	○	○	
8×12	○	○	
8×15	○	○	○
8×18	○	○	
8×20	○	○	○
8×22	○	○	
8×25	○	○	○
8×30	○	○	○

寸法	タフピッチ 銅	真鍮	カドミレス 真鍮
8 × 40	○	○	○
8 × 45		○	
8 × 50	○	○	○
8 × 55	○		
8 × 60	○	○	
8 × 65	○	○	
8 × 70	○		
8 × 75	○	○	
8 × 100	○	○	
8 × 125	○		
8 × 150	○		
9 × 12		○	
9 × 15		○	
9 × 18		○	
9 × 20		○	
9 × 25		○	
9 × 30		○	
9 × 35		○	
9 × 40		○	
9 × 45		○	
9 × 50	○	○	
10 × 12		○	
10 × 15	○	○	○
10 × 16		○	
10 × 18		○	
10 × 20	○	○	○
10 × 22		○	
10 × 25	○	○	○
10 × 30	○	○	○
10 × 32		○	
10 × 35	○	○	○
10 × 40	○	○	○
10 × 45	○	○	
10 × 50	○	○	○
10 × 55	○		
10 × 60	○	○	
10 × 65	○		
10 × 75	○	○	
10 × 80	○		
10 × 100	○	○	
10 × 125	○		
10 × 150	○		
10 × 200	○		
12 × 14		○	
12 × 15		○	
12 × 16		○	
12 × 18		○	
12 × 20	○	○	○
12 × 25	○	○	○
12 × 30	○	○	○
12 × 32		○	
12 × 35		○	
12 × 38		○	
12 × 40	○	○	○
12 × 50	○	○	○
12 × 60	○	○	
12 × 75	○		
12 × 100	○	○	

寸法	タフピッチ 銅	真鍮	カドミレス 真鍮
12 × 125	○		
12 × 150	○		
12 × 200	○		
14 × 20			
15 × 18		○	
15 × 20	○	○	○
15 × 25	○	○	○
15 × 30	○	○	○
15 × 32		○	
15 × 35		○	○
15 × 40	○	○	○
15 × 50	○	○	○
15 × 55	○	○	
15 × 60	○	○	
15 × 65	○		
15 × 70	○		
15 × 75	○		
15 × 80		○	
15 × 81			
15 × 100	○		
15 × 150	○		
15 × 250	○		
16 × 20		○	
16 × 30		○	
16 × 50		○	
20 × 25	○	○	
20 × 30	○	○	
20 × 35	○	○	
20 × 40	○	○	
20 × 45	○	○	
20 × 50	○	○	
20 × 60	○	○	
20 × 75	○	○	
20 × 80		○	
20 × 100	○		
20 × 150	○		
20 × 200	○		
25 × 30	○	○	
20 × 35		○	
25 × 40	○	○	
25 × 45		○	
25 × 50	○	○	
25 × 60		○	
25 × 75		○	
25 × 200	○		
30 × 35		○	
30 × 40		○	
30 × 45		○	
30 × 50		○	
30 × 55		○	
30 × 60		○	
30 × 65		○	
30 × 75		○	
35 × 40		○	
35 × 50		○	
35 × 60		○	
40 × 80		○	
50 × 60		○	

鉄鋼

ステンレス・チタン

アルミ

伸銅

樹脂

参考資料

伸銅品角・六角棒

取次ぎ品○

伸銅品四角棒

寸法	タフピッチ銅	真鍮	カドミレス真鍮
4		○	
5	○	○	
6	○	○	
7		○	
8	○	○	
9		○	
10	○	○	○
12	○	○	
13		○	
14		○	
15	○	○	○
16	○	○	
17		○	
18	○	○	
19		○	
20	○	○	○
21		○	
22		○	
23		○	
24		○	
25	○	○	○
26		○	
28		○	
30	○	○	○
32	○	○	
35	○	○	○
36		○	
38		○	
40	○	○	○
42		○	
45		○	○
50	○	○	○
55		○	○
60	○	○	○
65		○	○
70	○	○	
75		○	
80	○	○	
85		○	
95		○	
100	○	○	

真中六角棒

対辺	材質	真鍮	カドミレス真鍮
5.5		○	
7		○	
8		○	
10		○	○
12		○	○
13		○	
14		○	○
16		○	
17		○	○
19		○	○
21		○	
22		○	
23		○	
24		○	○
25		○	
26		○	○
27		○	
29		○	
30		○	○
32		○	○
35		○	○
36		○	
38		○	
40		○	
41		○	○
42		○	
45		○	
46		○	○
50		○	○
55		○	
58		○	
60		○	
65		○	
70		○	

鉄鋼

ステンレスチタン

アルミ


伸銅

樹脂

参考資料

伸銅品切板

取次ぎ品○



※写真は C2801真鍮

材質 板厚	C1020P 無酸素銅	C1100P タピッチ銅	CrCu クロム銅	ベリウム銅 25合金	ベリウム銅 50合金	C5191P りん青銅	C6191BF ABB2	BC3 砲金	BC6 砲金	C2801 真鍮
1		○	○			○				○
1.5		○	○			○				○
2		○	○			○				○
3	○	○	○			○				○
4	○	○	○			○				○
5	○	○	○		○	○				○
6	○	○	○		○	○				○
7						○				○
8	○	○	○			○				○
9		○								○
10	○	○	○			○			○	○
12	○	○	○			○		○	○	○
13										○
14										○
15	○	○	○			○				○
16	○	○								○
17			○		○			○	○	
18	○	○								○
20	○	○	○	○	○	○	○		○	○
22	○	○						○	○	○
25	○	○	○	○	○	○	○		○	○
27								○	○	
30	○	○	○	○	○	○	○		○	○
32								○	○	
35	○	○	○	○	○		○		○	○
38								○	○	
40	○	○	○	○	○		○		○	○
43								○	○	
45	○	○	○	○	○		○		○	○
48								○	○	
50	○	○	○	○	○		○		○	○
53								○	○	
55	○	○	○	○	○		○			
60	○	○	○	○	○		○			○
65	○	○	○		○		○			
70	○	○	○		○		○			○
73									○	
75	○	○	○		○		○			
80	○	○	○		○		○			○
90	○	○	○		○		○			○
100	○	○	○		○				○	○
110	○	○								○
120	○	○								○
130	○									
150	○									

鉄鋼

ステンレス・チタン

アルミ

伸銅

樹脂

参考資料

伸銅品丸パイプ

取次ぎ品○

鉄鋼

ステンレス・チタン

アルミ

伸銅

樹脂

参考資料

外径×肉厚	BC3	BC6	真鍮
6 × 0.8			○
6 × 1			○
8 × 0.8			○
8 × 1			○
8 × 1.2			○
8 × 1.5			○
10 × 1			○
10 × 1.2			○
10 × 1.5			○
10 × 2			○
12 × 1			○
12 × 1.5			○
12 × 1			○
12 × 2			○
14 × 2			○
15 × 1			○
15 × 1.5			○
15.88 × 1			○
15.88 × 1.5			○
15.88 × 2			○
19.05 × 2			○
20 × 1			○
20 × 1.5			○
20 × 2			○
20 × 3			○
21.7 × 2.8			○
22.23 × 1.5			○
22.23 × 2			○
22.23 × 3			○
25 × 1.5			○
25 × 2			○
25 × 3			○
25.4 × 1			○
25.4 × 1.5			○
25.4 × 2			○
27.2 × 2.8			○
30 × 1			○
30 × 1.5			○
30 × 5		○	
30 × 7.5		○	
31.75 × 1.5			
31.75 × 3			○
34 × 3.2			○

外径×肉厚	BC3	BC6	真鍮
35 × 1.5			○
35 × 3			○
35 × 5		○	
35 × 7.5		○	
35 × 10		○	
38.12 × 1.2			○
38.12 × 1.5			○
38.12 × 2			○
38.12 × 3			○
40 × 2			○
40 × 3			○
40 × 5		○	
40 × 7.5		○	
40 × 10	○	○	
42.7 × 3.5			○
44.45 × 1.5			○
44.45 × 3			○
45 × 12.5	○	○	
45 × 5		○	
45 × 7.5		○	
45 × 10		○	
48.6 × 3.5			○
50 × 5		○	
50 × 7.5		○	
50 × 10	○	○	
50 × 12.5		○	
50 × 15		○	
50.8 × 3			○
55 × 7.5		○	
55 × 10	○	○	
55 × 12.5		○	
60 × 2			○
60 × 5			○
60 × 7.5		○	
60 × 10		○	
60 × 15	○	○	
60 × 17.5		○	
63.5 × 3			○
65 × 7.5		○	
65 × 10		○	
65 × 12.5		○	
65 × 15		○	
65 × 17.5		○	

伸銅品丸パイプ

りん脱酸銅丸管

取次ぎ品

外径×肉厚	BC3	BC6	真鍮
70 × 5			○
70 × 7.5		○	
70 × 10		○	
70 × 12.5		○	
70 × 15	○	○	
75 × 10		○	
75 × 15		○	
75 × 17.5		○	
76.2 × 2			○
76.2 × 3			○
80 × 10		○	
80 × 12.5		○	
80 × 17.5		○	
80 × 20	○	○	
85 × 15		○	
85 × 17.5		○	
85 × 22.5		○	
88.9 × 3			○
90 × 10		○	
90 × 15	○	○	
90 × 20	○	○	
90 × 25		○	
95 × 15		○	
100 × 12.5	○	○	
100 × 20	○	○	
100 × 25		○	
101.6 × 3			○
105 × 17.5		○	
110 × 12.5	○		
110 × 20		○	
110 × 25		○	
120 × 10	○	○	
120 × 20		○	
120 × 30		○	
120 × 35		○	
130 × 15		○	
130 × 25		○	
140 × 15		○	
140 × 25		○	
150 × 15		○	
150 × 25		○	
160 × 15		○	
160 × 20		○	
170 × 15		○	
180 × 10		○	
180 × 20		○	
180 × 30		○	
200 × 20	○		
200 × 50	○	○	
250 × 50		○	

外径×肉厚	りん脱酸銅
4 × 0.8	○
4 × 1	○
5 × 0.8	○
5 × 1	○
6 × 0.8	○
6 × 1	○
6 × 1.5	○
6.35 × 1	○
7 × 1	○
8 × 0.8	○
8 × 1	○
8 × 1.5	○
8 × 2	○
9.53 × 0.8	○
9.53 × 1	○
10 × 1	○
10 × 1.2	○
10 × 1.5	○
10 × 2	○
12 × 1	○
12 × 1.2	○
12 × 1.5	○
12 × 2	○
12 × 3	○
12.72 × 0.8	○
12.72 × 1	○
12.72 × 1.5	○
14 × 1	○
14 × 2	○
15 × 1	○
15 × 1.5	○
15 × 2	○
15.88 × 1	○
15.88 × 1.2	○
15.88 × 1.5	○
15.88 × 2	○
15.88 × 3	○
16 × 1	○
16 × 1.5	○
18 × 1.5	○
18 × 2	○
19.05 × 1	○
190.5 × 1.5	○
20 × 1.5	○
20 × 2	○
20 × 3	○
22.23 × 1.2	○
22.23 × 1.5	○
22.23 × 3	○
25 × 1.5	○
25 × 2	○
25 × 3	○

外径×肉厚	りん脱酸銅
25.4 × 1	○
25.4 × 2	○
28.58 × 1.5	○
30 × 1	○
30 × 3	○
31.75 × 1	○
31.75 × 2	○
38.12 × 1.5	○
40 × 3	○
60 × 3	○

※定尺は5m

鉄鋼

ステンレス・チタン

アルミ

伸銅

樹脂

参考資料

