

# 一般構造用炭素鋼鋼管 STK400

取次ぎ品○

※E、A は溶接手法の違いを表します

規格	寸法	5.5M	6M	12M	M/重量
STK400E	21.7×1.9	○	○		0.928
	×2.3	○	○		1.10
	×2.8	○	○		1.31
STK400E	27.2×1.9	○	○		1.19
	×2.3	○	○		1.41
	×2.8	○	○		1.68
STK400E	34.0×2.3	○	○		1.80
	×3.2	○	○		2.43
STK400E	42.7×2.3	○	○		2.29
	×3.2	○	○		3.12
	×3.5	○	○		3.38
STK400E	48.6×2.3	○	○		2.63
	×3.2	○	○		3.58
	×3.5	○	○		3.89
STK400E	60.5×2.3	○	○		3.30
	×2.8	○	○		3.98
	×3.2	○	○		4.52
	×3.8	○	○		5.31
	×4.9	○	○		6.72
	×5.5	○	○		7.46
STK400E	76.3×2.8	○	○	○	5.08
	×3.2	○	○	○	5.77
	×4.2	○	○	○	7.47
	×5.2		○	○	9.12
STK400E	89.1×2.8	○	○	○	5.96
	×3.2	○	○	○	6.78
	×4.2	○	○	○	8.79
	×5.5		○	○	11.3
	×7.6			○	15.3
	×8.1			○	18.7
STK400E	101.6×3.2	○	○	○	7.76
	×4.2	○	○	○	10.1
	×5.7		○	○	13.5
	×8.1			○	18.7
STK400E	114.3×3.5	○	○	○	9.56
	×4.5	○	○	○	12.2
	×6.0		○	○	16.0
	×8.6			○	22.4
STK400E	127.0×4.5		○		13.6
STK400E	139.8×3.5	○	○	○	11.8
	×4.5	○	○	○	15.0
	×6.0		○	○	19.8
	×6.6		○	○	21.7
	×9.5			○	30.5

  

規格	寸法	5.5M	6M	12M	M/重量
STK400E	152.4×5.0		○		18.2
STK400E	165.2×3.7	○	○	○	14.7
	×4.5		○	○	17.8
	×5.0	○	○	○	19.8
	×6.0		○	○	23.6
	×7.1		○	○	27.7
	×9.3			○	35.8
	×11.0			○	41.8
STK400E	190.7×4.5			○	20.7
	×5.3			○	24.2
	×6.0			○	27.3
STK400E	216.3×4.5			○	23.5
	×5.8			○	30.1
	×6.0			○	31.1
	×7.0			○	36.1
	×8.2			○	42.1
	×10.3			○	52.3
	×12.7			○	63.8
STK400E	241.8×6.2			○	36.0
	267.4×5.8			○	37.4
	×6.0			○	38.7
	×6.6			○	42.4
	×7.8			○	49.9
	×8.0			○	51.2
	×9.3			○	59.2
STK400E	318.5×6.0			○	46.2
	×6.9			○	53.0
	×7.9			○	60.5
	×9.5			○	72.4
	×10.3			○	78.3
STK400E	355.6×6.4			○	55.1
	×7.9			○	67.7
	×9.5			○	81.1
	×11.1			○	94.3
	×12.7			○	107
	×15.1			○	127
	×16.0			○	134
	×19.0			○	158

鉄鋼

ステンレス・チタン

アルミ

伸銅

樹脂

参考資料

規格	寸法	5.5M	6M	12M	M/重量
STK400E	406.4×6.4			○	63.1
	×7.9			○	77.6
	×9.5			○	93.0
	×12.7			○	123
	×16.0			○	154
	×19.0			○	182
	×22.0			○	209
STK400E	457.2×6.4			○	71.1
	×7.9			○	87.5
	×9.5			○	105
	×12.7			○	139
	×14.3			○	156
	×16.0			○	174
	×19.0			○	205
STK400A SS400板巻	×22.0			○	236
	×23.8			○	254
	×30.0	○			316
	×35.0	○			364
	×40.0	○			412
	×45.0	○			457
	×50.0	○			502
STK400E	508.0×6.4			○	79.2
	×7.9			○	97.4
	×9.5			○	117
	×12.7			○	155
	×16.0			○	194
	×19.0			○	229
	×22.0			○	264
STK400A	×20.6	○	○		248
	×26.2	○	○		311
SS400板巻	×38.0	○			440
	×45.0	○			514
	×50.0	○			565
STK400E	558.8×6.4			○	87.2
	×7.9			○	107
	×9.5			○	129
	×12.7			○	171
	×16.0			○	214
	×19.0			○	253
	×22.0			○	291
STK400A	×28.6			○	374
STK400E	609.6×6.4			○	95.2
	×7.9			○	117
	×9.5			○	141
	×12.7			○	187
	×16.0			○	234
	×19.0			○	277
	×22.0			○	319
STK400A	×25.0			○	360
	×30.0			○	429
SS400板巻	×35.0	○			496
STK400E	660.4×6.4			○	103
	×7.9			○	127

規格	寸法	5.5M	6M	12M	M/重量	
STK400E	660.4×9.5			○	152	
	×12.7			○	203	
	×16.0			○	254	
STK400A	660.4×6.4			○	103	
	×7.9			○	127	
	×9.5			○	152	
	×12.7			○	203	
	×16.0			○	254	
STK400A	711.2×6.0			○	104	
	×6.4			○	111	
	×7.9			○	137	
	×9.5			○	164	
	×12.7			○	219	
	×16.0			○	274	
	×19.0			○	324	
STK400A	762.0×7.9			○	147	
	×9.5			○	176	
	×12.7			○	235	
	×16.0			○	294	
	×19.0			○	372	
STK400A	812.8×6.4			○	127	
	×7.9			○	157	
	×9.5			○	188	
	×12.7			○	251	
	×16.0			○	314	
STK400A	863.6×7.9			○	167	
	×9.5			○	200	
	×12.7			○	266	
	×16.0			○	354	
	×19.0			○	484	
STK400A	914.4×7.9			○	177	
	×9.5			○	212	
	×12.7			○	282	
	×16.0			○	354	
	×22.0			○	484	
	STK400A	1016.0×7.9			○	196
		×9.5			○	236
×12.7				○	314	
×16.0				○	395	
×19.0				○	467	
×22.0				○	539	
STK400A		1117.6×9.5			○	260
	×10.3			○	281	
	×12.7			○	346	
STK400A	1219.2×9.5			○	283	
	×12.7			○	378	
	×16.0			○	475	

鉄鋼

ステンレス・チタン

アルミ

伸銅

樹脂

参考資料

# 一般構造用炭素鋼鋼管 STK490

取次ぎ品○

鉄鋼

ステンレス・チタン

アルミ

伸銅

樹脂

参考資料

規格	寸法	5.5M	6M	12M	M/重量
STK490	190.7× 5.3			○	24.2
	× 7.0			○	31.7
STK490	216.3× 5.8			○	30.1
	× 8.2			○	42.1
STK490	267.4× 6.6			○	42.4
	× 9.3			○	59.2
STK490	318.5× 6.9			○	53.0
	× 10.3			○	78.3
	× 12.7			○	95.8
STK490	355.6× 7.9			○	67.7
	× 9.5			○	81.1
	× 11.1			○	94.3
	× 12.7			○	107
	× 16.0			○	134
STK490	406.4× 9.5			○	93.0
	× 12.7			○	123
	× 19.0			○	182

規格	寸法	5.5M	6M	12M	M/重量
STK490	457.2× 9.5			○	105
	× 12.7			○	139
	× 14.3			○	156
	× 16.0			○	174
STK490	508.0× 9.5			○	117
	× 12.7			○	155
	× 16.0			○	194
STK490	558.8× 9.5			○	129
	× 12.7			○	171
	× 16.0			○	214
STK490	609.6× 12.7			○	187
	× 16.0			○	234

アイケーエタル株式会社